JC07 Rec'd PCT/PTO 1 6 JAN 20 SEQUENCE LISTING

#### GENERAL INFORMATION:

- (i) APPLICANT: PLANTECHNO S.R.L.
- (ii) TITLE OF INVENTION:

SYNTHETIC POLYNUCLEOTIDE ENCODING HUMAN LACTOFERRIN, VECTORS, CELLS AND TRANSGENIC PLANTS CONTAINING IT

- (iii) NUMBER OF SEQUENCES: 22
- (iv) CORRESPONDENCE ADDRESS:
  - (A) ADDRESSEE: Società Italiana Brevetti
  - (B) STREET: Piazza di Pietra, 39
  - (C) CITY: Roma
  - (D) COUNTRY: Italy
  - (E) POSTAL CODE: I-00186
- (v) COMPUTER READABLE FORM:
  - (A) MEDIUM TYPE:
  - (B) COMPUTER: IBM PC compatible
  - (C) OPERATING SYSTEM: PC-DOS/MS-DOS Rev. 5.0
  - (D) SOFTWARE: Microsoft Word 6.0
- (viii) ATTORNEY INFORMATION
  - (A) NAME: LEONE, Mario (Eng.)
  - (B) REFERENCE: PC-EBR
- (ix) TELECOMMUNICATION INFORMATION
  - (A) TELEPHONE: 06/695441
  - (B) TELEFAX: 06/69544830
  - (C) TELEX: 612287 ROPAT

- (1) INFORMATION FOR SEQ ID NO: 1:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 2079 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURES
  - (A) NAME: LFUSYN
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

GGC CGT AGG AGA AGG AGT GTT CAA TGG TGC GCA GTA TCA CAA CCA 45 G R R R R S V O W C A V S O P

GAG GCC ACA AAA TGC TTC CAA TGG CAA AGG AAT ATG AGA AAA GTT 90 E A T K C F Q W Q R N M R K V

CGT GGA CCT CCT GTA TCT TGC ATA AAG AGA GAT TCA CCC ATC CAG 135
R G P P V S C I K R D S P I Q

TGT ATC CAG GCA ATT GCG GAA AAC AGA GCT GAT GCT GTG ACT CTT 180 C I Q A I A E N R A D A V T L

GAT GGT GGT TTC ATA TAC GAG GCA GGA CTT GCC CCA TAC AAA CTG 225 D G G F I Y E A G L A P Y K L

CGA CCT GTA GCG GCG GAA GTC TAC GGG ACC GAA AGA CAA CCA CGA 270
R P V A A E V Y G T E R Q P R

ACT CAC TAT TAT GCT GTG GCT GTT GTG AAG AAG GGC GGA TCT TTT 315 T H Y Y A V A V V K K G G S F

CAG CTG AAC GAA CTT CAA GGT CTG AAG TCA TGC CAC ACA GGA CTT 360 Q L N E L Q G L K S C H T G L

CGC AGG ACC GCT GGA TGG AAT GTC CCT ATA GGG ACA CTT CGT CCA 405

TTC TTG AAT TGG ACG GGT CCA CCT GAG CCC ATT GAG GCA GCT GTG 450 T P P E P Ε GCA AGA TTC TCA GCC TCT TGT GTT CCA GGT GCA GAT AAA GGA 495 G . Ŕ F F S C. ٧ S A P G Α D K CAA TTC CCC AAC CTT TGT CGC CTG TGT GCG GGG ACA GGG GAA AAC 540 R L C A G T AAA TGT GCA TTC TCA TCC CAG GAA CCG TAC TTC AGC TAC TCT GGT 585 C A F S S Ε P Y F S Y S G 0 GCC TTT AAG TGT CTT AGA GAC GGT GCT GGA GAT GTT GCT TTT ATT 630 K С L R D G A G D V Α. FI AGA GAG AGC ACA GTG TTT GAG GAT CTT TCA GAC GAG GCT GAA AGG 675 E S DEA E R T V F Ε D L S GAC GAG TAT GAG TTA CTC TGC CCA GAC AAC ACT CGT AAG CCA GTT 720 Y Е Ļ L C P D N T R K GAC AAG TTC AAA GAT TGC CAT CTT GCA CGG GTC CCT TCT CAT GCC 765 V С H L A R P S GTT GTG GCA CGA AGT GTT AAT GGA AAG GAG GAT GCC ATC TGG AAT 810 V V A R s v n G K E D Α I W . N CTT CTC CGC CAA GCA CAG GAA AAG TTT GGA AAG GAC AAG TCA CCG 855 R Q A QE K F G K AAA TTC CAG CTC TTT GGT TCC CCT AGT GGG CAG AAA GAT CTT CTG 900 F Q L F G S P S G Q K ח TTC AAG GAC TCT GCC ATT GGG TTT TCG AGA GTG CCA CCT AGG ATA 945

F K D S A I G F S R V P P R

GAT TCT GGG TTG TAC CTT GGC TCC GGA TAC TTT ACT GCA ATT CAG 990 S G Y F T AAC TTG AGG AAA AGT GAG GAG GAA GTT GCT GCC CGG CGT GCG CGG 1035 E E V A A R K S E R R GTC GTT TGG TGT GCG GTG GGA GAG CAA GAG TTG CGC AAG TGT AAC 1080 A ν G E Q R CAG TGG AGT GGT TTG AGC GAA GGA TCT GTG ACC TGC TCA TCG GCC 1125 E G S V .T C S S A G L S TCC ACT ACA GAA GAT TGC ATC GCC CTG GTG TTG AAA GGA GAA GCT 1170 D C I A L V L K G E A GAT GCC ATG AGT TTG GAT GGA GGA TAT GTT TAC ACT GCA GGT AAA 1215 A M s G G Y V Y D Ţ TGT GGT TTG GTG CCT GTC CTT GCA GAG AAC TAC AAA TCA CAA CAA 1260 L A E N Y AGC AGT GAC CCT GAT CCT AAC TGT GTG GAT AGA CCT GTG GAA GGA S S D P D P N C V D R P V E TAT CTT GCT GTG GCG GTG GTT AGG AGA TCA GAC ACT AGC CTT ACC 1350 YLAVAVVR R S TGG AAC TCT GTG AAA GGC AAG AAG TCC TGC CAC ACC GCC GTG GAC N S V K G K K S C H T A AGG ACT GCA GGT TGG AAT ATC CCC ATG GGA TTG CTC TTC AAC CAG ACG GGC TCC TGC AAA TTT GAT GAA TAT TTC AGT CAA AGC TGT GCC 1485 G S C K F E Y F D CCT GGT TCT GAC CCA AGA TCT AAT CTC TGT GCT TTG TGT ATT GGA 1530

1	₽	G	s	D	P	R	S	N	L	С	A	L	С	I	G	
(	3AT	GAG	CAA	GGT	GAG	AAT	AAG	TGC	GTT	ccc	AAC	AGC	AAC	GAG	AGA	1575
I	)	E	Q	G	E	N	K	Ċ.	V	P	N	s	N	E	R	
7	CAC	TAC	GGT	TAC	ACT	GGG	GCT	TTC	CGT	TGC	TTG	GCT	GAG	AAT	GĊT	1620
3	ľ	Y	G	Y	T	G	A	F	R	С	L	A	E	·N	A	
	GA.	GAC	GTT	GCA	TTT	GTG	AAA	GAT	GTC	ACT	GTC	TTG	CAG	AAC	ACT	1665
C	3	D	V	A	F	V	K	Đ	V	T	V	L	Q	N	T	
(	SAT	GGA	AAT	AAC	AAT	GAG	GCA	TGG	ĠCT	AAG	GAT	TTG	AAG	CTT	GCA	1710
E	)	G	N	N	N	E	Α	W	A	K	D	L	K	L	A	
C	SAC	TTT	GC	3 TTC	G CTC	G TGC	CTO	GA:	r GG	CAA	A CG1	AA 1	CC'	r GT	G ACT	1755
Ε	)	F	A	L	L	С	L	Ε	G	ĸ	R	K	P	V	T	
C	AA.	GCT	AGA	AGC	TGC	CAT	CTT	GCC	ATG	GCC	CCG	AAT	CAT	GCT	GTG	1800
E	S	A	R	·S	С	Н	L	A	M	A	P	И	н	A	v	
G	TG	TCT													CTC	1845
V	1	S	R	М	D .	K	V	E	R :	Ĺ	K	Q	V	L	L	
C	CAC	CAA													GAC	1890
	i													P		
															TAA	1935
F	ζ	F	С	L	F	Q	S	<b>E</b> .	T	K	N	L	L.	F	N	
																1980
								-							Y	
																2025
														N		
															CTA	2070
E	K	K	С	S	T	S	P	L	L	Е	Þ	C	E	F	L	

AGG AAG TAA	207
R K *	
(2) INFORMATION FOR SEQ ID NO: 2:	
(i) SEQUENCE CHARACTERISTICS	
(A) LENGTH: 30 bp	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: oligonucleotide	
(ix) FEATURES	
(A) NAME: PLT 46	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:	
GGATCCATGG GCCGTAGGAG AAGGAGTGTT	30
	1
(3) INFORMATION FOR SEQ ID NO: 3:	
(i) SEQUENCE CHARACTERISTICS	
(A) LENGTH: 32 bp	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: oligonucleotide	
(ix) FEATURES	
(A) NAME: PLT 47	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:	
GAGCTCCTTC GGTTTTACTT CCTGAGGAAT TC 32	•
(4) INFORMATION FOR SEQ ID NO: 4:	
(i) SEQUENCE CHARACTERISTICS	
(A) LENGTH: 42 bp	
(B) TYPE: nucleic acid	

(C) STRANDEDNESS: single

(ii) MOLECULE TYPE: oligonucleotide

(D) TOPOLOGY: linear

(ix) FEATURES

- (A) NAME: PLT 48
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

### TCTAGATAAA ATAATCTATA CATTAAAAAA TTTGATTTTA AA 42

- (5) INFORMATION FOR SEQ ID NO: 5:
  - (i) SEQUENCE CHARACTERISTICS
    - (A) LENGTH: 36 bp
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: oligonucleotide
  - (ix) FEATURES
    - (A) NAME: PLT 49
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

#### GGATCCGACT GAGTCGGATA AGAAGAAAAG AAAAGA 36

- (6) INFORMATION FOR SEQ ID NO: 6:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 36 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 50
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

### TCTAGAGTTT TCAAATTTGA ATTTTAATGT GTGTTG 36

- (7) INFORMATION FOR SEQ ID NO: 7:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 36 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 51
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

GGATCCCACC TTAAGGAGGT TGCAACGAGC GTGGCA

36

- (8) INFORMATION FOR SEQ ID NO:8:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 250 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 120
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

GGC CGT AGG AGA AGG AGT GTT CAA TGG TGC GCA GTA TCA CAA CCA GAG

GCC ACA AAA TGC TTC CAA TGG CAA AGG AAT ATG AGA AAA GTT CGT GGA

CCT CCT GTA TCT TGC ATA AAG AGA GAT TCA CCC ATC CAG TGT ATC CAG

GCA ATT GCG GAA AAC ĀGA GCT GAT GCT GTG ACT CTT GAT GGT GGT TTC

ATA TAC GAG GCA GGA CTT GCC CCA TAC AAA CTG CGA CCT GTA GCG GCG

GAA GTC TAC G

- (9) INFORMATION FOR SEQ ID NO:9:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 250 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (Đ) TOPOLOGY: linear

- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 121
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GC ACC TGG AAC ACA AGA GGC TGA GAA GAA TCT TGC CAC AGC TGC CTC

AAT GGG CTC AGG TGG ACC CGT CCA ATT CAA GAA TGG ACG AAG TGT CCC

TAT AGG GAC ATT CCA TCC AGC GGT CCT GCG AAG TCC TGT GTG GCA TGA

CTT CAG ACC TTG AAG TTC GTT CAG CTG AAA AGA TCC GCC CTT CTT CAC

AAC AGC CAC AGC ATA ATA GTG AGT TCG TGG TTG TCT TTC GGT CCC GTA

GAC TTC CGC CG

- (10) INFORMATION FOR SEQ ID NO:10:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 250 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 122
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

AAC TGG CTT ACG AGT GTT GTC TGG GCA GAG TAA CTC ATA CTC GTC

CCT TTC AGC CTC GTC TGA AAG ATC CTC AAA CAC TGT GCT CTC TCT

AAT AAA AGC AAC ATC TCC AGC ACC GTC TCT AAG ACA CTT AAA GGC

ACC AGA GTA GCT GAA GTA CGG TTC CTG GGA TGA GAA TGC ACA TTT

GTT TTC CCC TGT CCC CGC ACA CAG GCG ACA AAG GTT GGG GAA TTG

TCC TTT ATC TGC ACC TGG AAC ACA A

- (11) INFORMATION FOR SEQ ID NO:11:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 255 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 123
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

GTA CAA CCC AGA ATC TAT CCT AGG TGG CAC TCT CGA AAA CCC AAT GGC
AGA GTC CTT GAA CAG AAG ATC TTT CTG CCC ACT AGG GGA ACC AAA GAG
CTG GAA TTT CGG TGA CTT GTC CTT TCC AAA CTT TTC CTG TGC TTG GCG
GAG AAG ATT CCA GAT GGC ATC CTC CTT TCC ATT AAC ACT TCG TGC CAC
AAC GGC ATG AGA AGG GAC CCG TGC AAG ATG GCA ATC TTT GAA CTT GTC
AAC TGG CTT ACG AGT

- (12) INFORMATION FOR SEQ ID NO:12:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 251 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 124
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

- (13) INFORMATION FOR SEQ ID NO:13:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 75 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
- (D) OTHER INFORMATION: leader sequence of protein 7S basic globulin
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:
    ATGGCTTCTA TCCTCCACTA CTTTTTAGCC CTCTCTCTT CTTGCTCTTT 50
    TCTTTTCTTC TTATCCGACT CAGTC 75
  - (14) INFORMATION FOR SEQ ID NO:14:
  - (i) SEQUENCE CHARACTERISTICS
    - (A) LENGTH: 191 bp
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: double
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: oligonucleotide
  - (ix) FEATURES
  - (D) OTHER INFORMATION: leader sequence of protein  $\beta\text{-}$  conglycinine
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

ATGATGAGAG CGCGGTTCCC ATTACTGTTG CTGGGAGTTG TTTTCCTAGC 50
ATCAGTTTCT GTCTCATTTG GCATTGCGTA TTGGGAAAAG CAGAACCCCA 100
GTCACAACAA GTGCCTCCGA AGTTGCAATA GCGAGAAAGA CTCCTACAGG 150
AACCAAGCAT GCCACGCTCG TTGCAACCTC CTTAAGGTG 189

- (15) INFORMATION FOR SEQ ID NO:15:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 250 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 125
- (XI) SEQUENCE DESCRIPTION: SEQ ID NO:15:

  GAGCAATCCC ATGGGGATAT TCCAACCTGC AGTCCTGTCC ACGGCGGTGT 50

  GGCAGGACTT CTTGCCTTTC ACAGAGTTCC AGGTAAGGCT AGTGTCTGAT 100

  CTCCTAACCA CCGCCACAGC AAGATATCCT TCCACAGGTC TATCCACACA 150

  GTTAGGATCA GGGTCACTGC TTTGTTGTGA TTTGTAGTTC TCTGCAAGAC 200

  AGGCACCAAA CCACATTTAC CTGCAGTGTA AACATATCCT CCATCCAAAC 250
- (16) INFORMATION FOR SEQ ID NO:16:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 254 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 126
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CCATCAGTGT TCTGCAAGAC AGTGACATCT TTCACAAATG CAACGTCTCC 50
AGCATTCTCA GCCAAGCAAC GGAAAGCCCC AGTGTAACCG TAGTATCTCT 100
CGTTGCTGTT GGGAACGCAC TTATTCTCAC CTTGCTCATC TCCAATACAC 150
AAAGCACAGA GATTAGATCT TGGGTCAGAA CCAGGGGCAC AGCTTTGACT 200
GAAATATTCA TCAAATTTGC AGGAGCCCGT CTGGTTGAAG AGCAAGCCCA 250
TGGG

- (17) INFORMATION FOR SEQ ID NO:17:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 229 bp
  - (B) TYPE: nucleic acid.
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 127
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:
  GCAGTCAGAT CCATTCTAC CAAATTTAGC CTGTTGGTGG AGCAACACCT 50
  GTTTCAAGCG TTCCACCTTA TCCATACGAG ACACCACAGC ATGATTCGGG 100
  GCCATGGCAA GATGGCAGCT TCTAGCTTCA GTCACAGGCT TACGTTTGCC 150
  ATCGAGGCAC AGCAACGCAA AGTCTGCAAG CTTCAAATCC TTAGCCCATG 200
  CCTCATTGTT ATTTCCATCA GTGTTCTGC 229
- (18) INFORMATION FOR SEQ ID NO:18:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 210 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 128
- (XI) SEQUENCE DESCRIPTION: SEQ ID NO:18:

  TTACTTCCTT AGGAATTCAC AGGCTTCTAG GAGTGGGGAG GTTGAGCACT 50

  TTTTCAGATT AGTAATGCCT GCGACATACT GTGGTCCCAA ATATTTTCA 100

  TATGTTGTTT TGCCATGGAG TCTGGCAAGA CACTCAGTGT TGTCATTGAA 150

  CAAAAGGTTT TTGGTTTCAG ACTGGAATAA GCAAAACTTG TCCGGGCAGT 200

  CAGATCCATT 210
- (19) INFORMATION FOR SEQ ID NO:19:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 30 bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide

(ix)	FEA	TUR	ES

- (A) NAME: PLT 129
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

## GGATCCATGG GCCGTAGGAG AAGGAGTGTT

30

- (20) INFORMATION FOR SEQ ID NO:20:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: 28 bp
  - (B) TYPE: nucleic açid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: oligonucleotide
- (ix) FEATURES
  - (A) NAME: PLT 120
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20: GAGCTCTTAC TTCCTTAGGA ATTCACAG

28

- (21) INFORMATION FOR SEQ ID NO:21:
- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURES
- (D) OTHER INFORMATION: sequence of promoter of gene encoding 7S basic globulin
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

TAAAATAATC TATACATTAA AAAATTTGAT TTTAAAATTT TAGAAATTCA 50

TGATTTTATT TTTTTTACC AGAAATCCGT TAATATTGTT AAAATATTAC 100

CAACTAATTT ATAAATTTTA TTTTAAGGCA ATTAAGCATG TTTGATAAAA 150

TATATATT GTTATAAATA CTTTTCAAAA GTATAAAGTT GATGATGGCG 200

TEGTGGTAGA TTATTTTAGT TCTAGGTTCG AATGCAAGTT GGTTTAGACA 250

TTTAGCCTTA TTCTTTTTC TAACCAAAAT AAATGTAAAT GGAAAACCTT 300

TAGGAAAAA AAGAAATCAA AATTGAAAAC ATCATCCGGT GGAGTCGAGA 350

AGCCCACACC CACGTGACCC AACAATATTA AAATAAGAGT TTGCTCTACA 400

GTAAATGCGA	TACTTTTTTA	TTCAATACTT	TTTCCACTTC	TAAAATCTTG	450
GAGATTTGCA	CCGTTAACTA	ATTAAGTGTT	ATATCCAACG	GTCCTAAAAA	. 500
AACTTGTGTA	CCGTGCCTCA	CATTTCAACT	TTGCGCACCC	TGAAAGCCGT	550
TATGTTTAGG	TTAGTGTTTG	CAACAGTTGA	AGCGCATCAC	TCAGGAGGCT	600
ACTTGGTCTT	GCTTTTGCGT	CTTTTGTTCA	ATTTTTCACG	TGATTTTGTT	650
GGT GAACACG	CGTACTTGAA	ACTTATTATA	AATTACATAA	TTTTATAAGT	700
TTCACTTCTT	ATATAATACT	CATATAATAT	ATAGGGTTTA	GAATGCCAAT	750
TTTTAAAAAA	AGAATAAAAA	AATAAATAGA	ATAAAATCGA	AAAAATGAAA	800
TGTAAAAAAT	TTGAGGGGGA	CAAATAAAAT	ATGAAAGTCT	ATTATTTAAA	850
TTTTCCATTA	GAATTCTATT	TTCCTTAGTT	AATATGAGCT	AGCCAGTTGG	900
GAGATACACG	AAAATGTCAT	GAAACAGTTG	CATGTAGGGA	AATTAATGTA	. 950
GTAGAGGGAT	AGCAAGACAA	AAATCCAAGC	CAAGCTAGCT	GCTCACGCGA	1000
ACTCGATCCA	CACGTCCTTT	ACAGAGTTTC	AAACGGATGA	AATCTGCATG	1050
GCATGCAACT	AAAGCATTGT	TCTCAGCTGC	CAAGTACCCC	TCACACTCAC	1100
CAACCCTTTG	TTTTTCTCCC	CATTGCATGT	TAACTCAAGT	TTATCCTTTC	1150
TTTGCTTCTG	GAAATTTCAC	AAGCCTCAAA	CACGTCGACG	TCCAATCTTG	1200
TGACCAACAC	GGCCAAAAGA	AAAGAGAATC	TCATCCCGTT	CACACTTAGC	1250
CACTTAAAGC	TAGCCAAACG	GTGATCTTTC	TCTATATATT	GTAGCTCTCT	1300
AACACAACCA	ACACTACCAT	TATTCAATAT	TCAAACCTTG	CTCTATACTA	1350
CACACACTAG	AAGAATA				1367

# (22) INFORMATION FOR SEQ ID NO:22:

- (i) SEQUENCE CHARACTERISTICS
  - (A) LENGTH: bp
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (ix) FEATURES
- (D) OTHER INFORMATION: sequence of promoter of gene coding for  $\beta\text{--conglycinine}$
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:
- GTTTTCAAAT TTGAATTTTA ATGTGTGTTG TAAGTATAAA TTTAAAATAA 50 AAATAAAAAC AATTATTATA TCAAAATGGC AAAAACATTT AATACGTATT 100 ATTTATTAAA AAAATATGTA ATAATATTT TATATTTTAA TATCTATTCT 150 TATGTATTTT TTAAAAATCT ATTATATATT GATCAACTAA AATATTTTTA 200 TATCTACACT TATTTTGCAT TTTTATCAAT TTTCTTGCGT TTTTTGGCAT 250

TAATAATTA	GACTATTCTT	TAATAATCAA	TCATTATTCT	TACATGGTAC	300
ATATTGTTGG	AACCATATGA	AGTGTTCATT	GCATTTGACT	ATGTGGATAG	350
TGTTTTGATC	CATGCCCTTC	ATTTGCCGCT	ATTAATTAAT	TTGGTAACAG	400
ATTCGTTCTA	ATCAGTTACT	TAATCCTTCC	TCATCATAAT	TAATCTGGTA	450
GTTCGAATGC	CATAATATTG	ATTAGTTTTT	TGGACCATAA	GAAAAAGCCA	500
AGGAACAAAA	GAAGACAAAA	CACAATGAGA	GTATCCTTTG	CATAGCAATG	550
TCTAAGTTCA	TAAAATTCAA	ACAAAAACGC	AATCACACAC	AGTGGACATC	600
ACTTATCCAC	TAGCTGATCA	GGATCGCCGC	GTCAAGAAAA	AAAAACTGGA	650
CCCCAAAAGC	CATGCACAAC	AACACGTACT	CACAAAGGCG	TCAATCGAGC	700
AGCCCAAAAC	ATTCACCAAC	TCAAÇCCATC	ATGAGCCCAC	ACATTTGTTG	750
TTTCTAACCC	AACCTCAAAC	TCGTATTCTC	TTCCGCCACC	TCATTTTTGT	800
TTATTTCAAC	ACCCGTCAAA	CTGCATCCCA	CCCCGTGGCC	AAATGTTCAT	850
GCATGTTAAC	AAGACCTATG	ACTATAAATA	TCTGCAATCT	CGGCCCAAGT	900
TTTCATCATC	AAGAACCAGT	TCAATATCCT	AGTACGCCGT	ATTAAAGAAT	950
TTAAGATATA	CT				962